

# CHALLENGE SOUTH WEST LTD

<b>RISK ASSESSMENT</b>
------------------------

<b>DATE:</b>	20 <sup>th</sup> May 2010	<b>OPERATION :</b>	Show Stand
<b>COMPLETED BY:</b>	Chris Pedlar	<b>VERSION:</b>	1

**Hazards:**

- Public Access
- Fires
- Site Specific Risks
- Vehicle security
- Vehicles jacked up or on axle/suspension display stands
- Vehicles rolling away on uneven ground

**Pre-Controls Assessment:**

**Task Risk = Low**

Severity	Likelihood of Occurrence				
	1	2	3	4	5
1	1	2	3	4	5
2	2	4	6	8	10
3	3	6	9	12	15
4	4	8	12	16	20
5	5	10	15	20	25

**Risk Rating:**

**Low**                    1 to 9  
**Medium**                10 to 15  
**High**                    16 to 25

**Controls:**

At least 1 functioning fire extinguisher suitable for use on electrical & fuel fires should be available on the stand.

Open fires/barbeques where allowed should be sited a safe distance away from vehicles and tents/marquis and only use charcoal or coal to reduce risk of sparks.

A First aid kit will be present on the stand at all times.

Stand to be supervised by club members at all times during show open times.

Any vehicle using axle/suspension display stands must be securely mounted and all wheels on the ground chocked.

Where uneven or sloping ground is used all vehicles must have a functioning hand brake applied, be left in gear and have wheel chocks applied to a minimum of 1 wheel each.

All vehicles should where possible be left locked and ignition keys removed. Where this is not practical the battery terminals may be disconnected.

**Post-Controls Assessment:**

**Task Risk = Low**

Severity	Likelihood of Occurrence				
	1	2	3	4	5
1	1	2	3	4	5
2	2	4	6	8	10
3	3	6	9	12	15
4	4	8	12	16	20
5	5	10	15	20	25

**Risk Rating:**

**Low**                    1 to 9  
**Medium**                10 to 15  
**High**                    16 to 25

**Declaration:**

For and on Behalf of Challenge South West ltd

Signature: ...Chris Pedlar..... Position: ...Chairman.....